

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	515	(LED\$1 or emitting near4 diode\$1) with (socket with (screw and wedge or pin))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:18
L2	304	1 and @pd<="19970826"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:18
L3	2	12 and pool	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:19
L4	0	(LED\$1 or emitting near4 diode\$1) with (socket with (screw and wedge and pin))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:21
L5	515	(LED\$1 or emitting near4 diode\$1) with (socket with (screw and wedge or pin))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:22
L6	3	(LED\$1 or emitting near4 diode\$1) with (socket with (screw and wedge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:22
L7	25	(LED\$1 or emitting near4 diode\$1) with (socket with (screw and pin\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:24
L8	338	(LED\$1 or emitting near4 diode\$1) with (socket with (screw))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:28
L9	247	18 and @pd<="19970826"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:28

L10	24	19 and (pool or water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:29
L11	2	10 and color	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:29
L12	102	19 and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:30
L13	9	"5681105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:31
L14	0	13 and Led	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:31
L15	116	(LED\$1 or emitting near4 diode\$1) with (socket near4 (screw))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:34
L16	67	15 and @pd<="19970826"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:34
L17	258	(LED\$1 or emitting near4 diode\$1) with (socket near4 (pins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:41
L18	131	17 and @pd<="19970826"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:41
L19	65775	(LED\$1 or emitting near4 diode\$1) with (type near4socket near4 (pins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:46

L20	4	(LED\$1 or emitting near4 diode\$1) with (type near4 socket near4 (pins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:46
L21	13	(LED\$1 or emitting near4 diode\$1) with (type near4 socket near4 (pins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 03:47
L22	14	"5464955"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 04:02
L23	1	22 and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 04:02
L24	238	socket near4 wedge with pin \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 04:03
L25	172	24 and @pd<="19970826"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 04:03
L26	1	(socket near4 wedge with pin \$1) with LED	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 04:04
L27	22	(socket near4 wedge with pin \$1) same LED	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 04:04
L28	3	27 and @pd<="19970826"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/15 04:04

2/15/08 4:27:09 AM